

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 1 of 11

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

M-CHLOROANILINE

OTHER NAMES

C6-H6-Cl-N, Cl-C6H4-NH2, "aniline, m-chloro-", "aniline, m-chloro-", m-aminochlorobenzene, m-aminochlorobenzene, 1-amino-3-chlorobenzene, 1-amino-3-chlorobenzene, "benzeneamine, 3-chloro-", "benzeneamine, 3-chloro-", 3-chlorobenzeneamine, 3-chlorobenzeneamine, m-chlorophenylamine, m-chlorophenylamine, 3-chlorophenylamine, 3-chlorophenylamine,

PROPER SHIPPING NAME

CHLOROANILINES, LIQUID

PRODUCT USE

Intermediate for azo dyes and pigments, pharmaceuticals, insecticides, and agricultural chemicals.

SUPPLIER

Company: S D FINE- CHEM LIMITED

Address:

315- 317, T.V. INDUSTRIAL ESTATE,

248, WORLI,

MUMBAI- 400030.INDIA.


technical@sdfine.com

Telephone: 91- 22- 24959898

Telephone: 91- 22- 24959899

Fax: 91- 22- 24937232

HAZARD RATINGS



continued...

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 2 of 11

Section 2 - HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity (Dermal) Category 3
Acute Toxicity (Inhalation) Category 2
Acute Toxicity (Oral) Category 3
Chronic Aquatic Hazard Category 1
Organ Damage Category 2



EMERGENCY OVERVIEW

HAZARD

DANGER

Determined by using GHS criteria:

H330 H311 H301 H373 H410

Fatal if inhaled

Toxic in contact with skin

Toxic if swallowed

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

Prevention

Do not breathe dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well ventilated area.

Wear protective gloves/clothing

Wash hands thoroughly after handling.

Wear respiratory protection.

Do not eat, drink or smoke when using this product.

Response

Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Gently wash with plenty of soap and water.

Keep container tightly closed.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Specific treatment: refer to Label or MSDS.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Get medical advice/attention if you feel unwell.

Remove/Take off immediately all contaminated clothing

Wash/Decontaminate removed clothing before reuse.

Call a POISON CENTER or doctor/physician if you feel unwell.

continued...

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 3 of 11

Section 2 - HAZARDS IDENTIFICATION

Storage

Store locked up.

Disposal

Dispose of contents and container in accordance with relevant legislation.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
m- chloroaniline	108-42-9	>99

Section 4 - FIRST AID MEASURES

SWALLOWED

For advice, contact a Poisons Information Centre or a doctor.

- IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY.

- For advice, contact a Poisons Information Centre or a doctor.

Where Medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise:

- Induce vomiting with fingers down the back of the of the throat, ONLY IF CONSCIOUS.

- Lean patient forward or place on left side (head-down position if possible) to maintain open airway and prevent aspiration.

NOTE: Wear a protective glove when inducing vomiting by mechanical means.

- In the mean time, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition.

- If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the MSDS should be provided.

Further action will be the responsibility of the medical specialist.

- If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the MSDS.

EYE

If this product comes in contact with the eyes:

- Immediately hold eyelids apart and flush the eye continuously with running water.

- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

- Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

- Transport to hospital or doctor without delay.

- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

If skin or hair contact occurs:

- Immediately flush body and clothes with large amounts of water, using safety shower if available.

- Quickly remove all contaminated clothing, including footwear.

- Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.

- Transport to hospital, or doctor.

continued...

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 4 of 11

Section 4 - FIRST AID MEASURES

INHALED

- If inhaled, remove quickly from contaminated area.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.

NOTES TO PHYSICIAN

The material may induce methaemoglobinaemia following exposure.

- Initial attention should be directed at oxygen delivery and assisted ventilation if necessary. Hyperbaric oxygen has not demonstrated substantial benefits.
- Hypotension should respond to Trendelenburg's position and intravenous fluids; otherwise dopamine may be needed.
- Symptomatic patients with methaemoglobin levels over 30% should receive methylene blue. (Cyanosis, alone, is not an indication for treatment). The usual dose is 1-2 mg/kg of a 1% solution (10 mg/ml) IV over 50 minutes; repeat, using the same dose, if symptoms of hypoxia fail to subside within 1 hour.
- Thorough cleansing of the entire contaminated area of the body, including the scalp and nails, is of utmost importance.

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

Determinant	Index	Sampling Time	Comment
1. Methaemoglobin in blood	1.5% of haemoglobin	During or end of shift	B, NS, SQ

B: Background levels occur in specimens collected from subjects NOT exposed

NS: Non-specific determinant; also observed after exposure to other materials

SQ: Semi-quantitative determinant - Interpretation may be ambiguous; should be used as a screening test or confirmatory test.

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Water spray or fog.

· Alcohol stable foam.

Dry chemical powder.

Carbon dioxide.

FIRE FIGHTING

Alert Fire Brigade and tell them location and nature of hazard.

Environmental hazard - contain spillage.

- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course.
- Consider evacuation (or protect in place).

Cool fire exposed containers with water spray from a protected location.

If safe to do so, remove containers from path of fire.

FIRE/EXPLOSION HAZARD

Combustible liquid.

continued...

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 5 of 11

Section 5 - FIRE FIGHTING MEASURES

Moderate fire hazard when exposed to heat, flame or oxidisers.
Decomposes on heating and produces toxic fumes of chlorides, ammonia (NH₃) and nitrogen oxides (NO_x).

FIRE INCOMPATIBILITY

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

Personal Protective Equipment

Breathing apparatus.
Gas tight chemical resistant suit.
Limit exposure duration to 1 BA set 30 mins.

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

Environmental hazard - contain spillage.
Clean up all spills immediately.
Wear protective clothing, impervious gloves and safety glasses.
Avoid breathing vapours and contact with skin and eyes.
Wipe up and absorb small quantities with vermiculite or other absorbent material.
Place in suitable containers for disposal.

MAJOR SPILLS

Pollutant - contain spillage.
Advise emergency services.
Clear area of personnel and move upwind.
Increase ventilation.
· Wear full body protective clothing with breathing apparatus.
· Prevent, by any means available, spillage from entering drains or water courses.
Stop leak if safe to do so.
Contain and absorb spill with sand, earth, inert material or vermiculite.
Collect and seal in labelled drums for disposal.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



+: May be stored together
O: May be stored together with specific preventions
X: Must not be stored together

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

continued...

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 6 of 11

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

Avoid breathing vapours and contact with skin and eyes.
Keep containers securely sealed when not in use.
until atmosphere has been checked.
Avoid contact with incompatible materials.
When handling, DO NOT eat, drink or smoke.
Wash hands with soap and water after handling.
Work clothes should be laundered separately: NOT at home.

SUITABLE CONTAINER

- Check that containers are clearly labelled.

Glass container.
Plastic container.
Metal can.

STORAGE INCOMPATIBILITY

- Avoid oxidising agents, acids, acid chlorides, acid anhydrides.

STORAGE REQUIREMENTS

Keep containers securely sealed.
Store in a cool area and away from sunlight.
Store in a well-ventilated area.
Store away from incompatible materials.
Store away from foodstuff containers.
Outside or detached storage is preferred.
Protect containers against physical damage.
Check regularly for spills and leaks.
Store in the dark.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

The following materials had no OELs on our records

- m- chloroaniline: CAS:108- 42- 9

MATERIAL DATA

CEL TWA: 2 ppm, 10.0 mg/m³ (skin) [As analogue for aniline]
Designated H in List of MAK values: Danger of cutaneous absorption.
Absorption of such substances through the skin can pose an incomparably larger danger of toxicity than their inhalation. To avoid health risks when handling such substances, meticulous cleaning of the skin, hair and clothing is imperative.
MAK values, and categories and groups are those recommended within the Federal Republic of Germany.
Exposure limits with "skin" notation indicate that vapour and liquid may be absorbed through intact skin. Absorption by skin may readily exceed vapour inhalation exposure.
Symptoms for skin absorption are the same as for inhalation. Contact with eyes and mucous membranes may also contribute to overall exposure and may also invalidate the exposure

continued...

M-CHLOROANILINE

GHS Safety Data Sheet


Version No:2.0

Page 7 of 11

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

standard.

PERSONAL PROTECTION



EYE

- Chemical goggles.
 - Full face shield.
- DO NOT wear contact lenses.
- Eyewash unit.

HANDS/FEET

Butyl rubber gloves.

OTHER

- Impervious protective clothing.
- Rubber apron.
- Ensure there is ready access to a safety shower.

RESPIRATOR

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Protection Factor	Half- Face Respirator	Full- Face Respirator	Powered Air Respirator
10 x ES	AK- AUS	-	AK- PAPR- AUS
50 x ES	-	AK- AUS	-
100 x ES	-	AK- 2	AK- PAPR- 2 ^

^ - Full-face.

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required.

For further information consult your Occupational Health and Safety Advisor.

ENGINEERING CONTROLS

Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection.

An approved self contained breathing apparatus (SCBA) may be required in some situations. Provide adequate ventilation in warehouse or closed storage area. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the

continued...

M-CHLOROANILINE

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

contaminant.

Type of Contaminant:
solvent, vapours, degreasing etc., evaporating from tank (in still air).
aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).

Air Speed:
0.25- 0.5 m/s (50- 100 f/min.)

0.5- 1 m/s (100- 200 f/min.)

1- 2.5 m/s (200- 500 f/min.)

2.5- 10 m/s (500- 2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range

- 1: Room air currents minimal or favourable to capture
- 2: Contaminants of low toxicity or of nuisance value only.
- 3: Intermittent, low production.
- 4: Large hood or large air mass in motion

Upper end of the range

- 1: Disturbing room air currents
- 2: Contaminants of high toxicity
- 3: High production, heavy use
- 4: Small hood- local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

A clear, colourless to light yellow, oily volatile liquid with amine (fishy) odour; does not mix with water.
Darkens on exposure to air.

PHYSICAL PROPERTIES

Liquid.
Does not mix with water.
Sinks in water.
Toxic or noxious vapours/gas.

continued...

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 9 of 11

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Molecular Weight: 127.57
Melting Range (°C): - 10.4
Solubility in water (g/L): Immiscible
pH (1% solution): Not applicable
Volatile Component (%vol): Not available
Relative Vapour Density (air=1): >1
Lower Explosive Limit (%): Not available
Autoignition Temp (°C): Not available
State: Liquid

Boiling Range (°C): 230.5
Specific Gravity (water=1): 1.215
pH (as supplied): Not applicable
Vapour Pressure (kPa): 0.133 @ 63.5 C
Evaporation Rate: Not available
Flash Point (°C): 123.89
Upper Explosive Limit (%): Not available
Decomposition Temp (°C): Not available

log Kow: 1.88

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

Presence of incompatible materials.
Stable under normal storage conditions.
Hazardous polymerisation will not occur.

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Toxic effects may result from the accidental ingestion of the material; animal experiments indicate that ingestion of less than 40 gram may be fatal or may produce serious damage to the health of the individual.
Considered an unlikely route of entry in commercial/industrial environments.
The substance and/or its metabolites may bind to haemoglobin inhibiting normal uptake of oxygen. This condition, known as "methaemoglobinemia", is a form of oxygen starvation (anoxia).

Symptoms include cyanosis (a bluish discolouration skin and mucous membranes) and breathing difficulties. Symptoms may not be evident until several hours after exposure.

At about 15% concentration of blood methaemoglobin there is observable cyanosis of the lips, nose and earlobes. Symptoms may be absent although euphoria, flushed face and headache are commonly experienced. At 25-40%, cyanosis is marked but little disability occurs other than that produced on physical exertion. At 40-60%, symptoms include weakness, dizziness, lightheadedness, increasingly severe headache, ataxia, rapid shallow respiration, drowsiness, nausea, vomiting, confusion, lethargy and stupor. Above 60% symptoms include dyspnea, respiratory depression, tachycardia or bradycardia, and convulsions. Levels exceeding 70% may be fatal.

EYE

Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).

continued...

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 10 of 11

Section 11 - TOXICOLOGICAL INFORMATION

SKIN

Skin contact with the material may produce toxic effects; systemic effects may result following absorption.

The material is not thought to be a skin irritant (i.e. is unlikely to produce irritant dermatitis as described in EC Directives using animal models). Temporary discomfort, however, may result from prolonged dermal exposures. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

Toxic effects may result from skin absorption.

INHALED

The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models). Nevertheless inhalation, of the material, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapours especially at higher temperatures.

Chronic exposure may result in anaemia, anorexia, weight loss and has been reported to produce red blood cell damage. Kidney and liver damage has been reported in test animals exposed to the parent aniline.

Most arylamines are powerful haemopoietic poisons producing methaemoglobinaemia in humans. High chronic doses cause splenic congestion and in turn sarcoma formation. Single ring aromatic amines are relatively weak carcinogens requiring large doses to produce any effect in animal experiments. The polycyclic aromatic amines exhibit a wide range of carcinogenic activity which appear, in part, to be dependent on the position on which benzene rings are substituted and the nature of the substituent.

TOXICITY AND IRRITATION

TOXICITY

Oral (rat) LD50: 256 mg/kg

Inhalation (mouse) LC50: 550 mg/m³/4h

IRRITATION

Nil Reported

Skin (rat) LD50: 250 mg/kg

Section 12 - ECOLOGICAL INFORMATION

log Pow (Verschuereen 1983): 1.88
COD: 97.20%

log Kow: 1.88
Degradation Biological: soil microflora >64 days, sig

Section 13 - DISPOSAL CONSIDERATIONS

DO NOT discharge into sewer or waterways.
Recycle wherever possible.
Bury or incinerate residue at an approved site.
Consult State Land Waste Management Authority for disposal.

continued...

M-CHLOROANILINE

GHS Safety Data Sheet

Version No:2.0

Page 11 of 11

Section 14 - TRANSPORTATION INFORMATION



Labels Required: TOXIC
HAZCHEM: 2X

UNDG:

Dangerous Goods Class:	6.1	Subrisk:	None
UN Number:	2019	Packing Group:	II
Shipping Name:CHLOROANILINES, LIQUID			

Air Transport IATA:

ICAO/IATA Class:	6.1	ICAO/IATA Subrisk:	None
UN/ID Number:	2019	Packing Group:	II
ERG Code:	6L		
Shipping name:CHLOROANILINES, LIQUID			

Maritime Transport IMDG:

IMDG Class:	6.1	IMDG Subrisk:	None
UN Number:	2019	Packing Group:	II
EMS Number:	F- A, S- A		
Shipping name:CHLOROANILINES, LIQUID			

Section 15 - REGULATORY INFORMATION

REGULATIONS

No regulations applicable
No data available for m-chloroaniline as CAS: 108-42-9.

Section 16 - OTHER INFORMATION

The above information is believed to be accurate and represent the best information currently available to us, but does not represent any warranty expressed or implied of the properties of the product. User should make their own investigation to determine the suitability of the information for their particular purpose.

Issue Date: 12-May-2018