

Version No:2.0 Page 1 of 9

#### Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

# **PRODUCT NAME**

**GHS Safety Data Sheet** 

3-CHLOROBENZALDEHYDE

#### **OTHER NAMES**

C7-H5-CI-O, CI-C6H4-CHO, "benzaldehyde, m-chloro-", "benzaldehyde, m-chloro-", "benzaldehyde, 3-chloro-", "benzaldehyde, 3-chloro-", m-chlorobenzaldehyde, m-chlorobenzenecarboxaldehyde, m-chlorobenzenecarboxaldehyde,

# **PRODUCT USE**

Intermediate.

## **SUPPLIER**

Company: S D FINE- CHEM LIMITED

Address:

315-317, T.V. INDUSTRIAL ESTATE,

248, WORLI,

MUMBAI- 400030.INDIA. technical@sdfine.com

Telephone: 91- 22- 24959898 Telephone: 91- 22- 24959899 Fax: 91- 22- 24937232

# **HAZARD RATINGS**



## **Section 2 - HAZARDS IDENTIFICATION**

# **GHS Classification**

Flammable Liquid Category 4

# **EMERGENCY OVERVIEW**

# **GHS Safety Data Sheet**

Version No:2.0 Page 2 of 9

## **Section 2 - HAZARDS IDENTIFICATION**

#### **HAZARD**

Determined by using GHS criteria: H227 Combustible Liquid

#### PRECAUTIONARY STATEMENTS

## Prevention

Use explosion-proof electrical/ventilating/lighting/equipment Keep away from flames and hot surfaces.

# Response

In case of fire, use foam for extinction.

# **Storage**

Store away from other materials

## **Disposal**

Dispose of contents and container in accordance with relevant legislation.

# Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
3- chlorobenzaldehyde	587- <b>0</b> 4-2	>98

## **Section 4 - FIRST AID MEASURES**

# **SWALLOWED**

For advice, contact a Poisons Information Centre or a doctor.

- · If swallowed do NOT induce vomiting.
- · If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- · Observe the patient carefully.
- · Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious
- · Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- · Seek medical advice.

## **EYE**

If this product comes in contact with the eyes:

- · Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- · If pain persists or recurs seek medical attention.
- · Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

## SKIN

If skin contact occurs:

# **GHS Safety Data Sheet**

Version No:2.0 Page 3 of 9

### **Section 4 - FIRST AID MEASURES**

- · Immediately remove all contaminated clothing, including footwear.
- · Flush skin and hair with running water (and soap if available).
- · Seek medical attention in event of irritation.

#### **INHALED**

- · If fumes or combustion products are inhaled remove from contaminated area.
- · Other measures are usually unnecessary.

# **NOTES TO PHYSICIAN**

Treat symptomatically.

#### **Section 5 - FIRE FIGHTING MEASURES**

## **EXTINGUISHING MEDIA**

- · Foam.
- · Dry chemical powder.
- · BCF (where regulations permit).
- · Carbon dioxide.
- · Water spray or fog Large fires only.

## **FIRE FIGHTING**

- · Use water delivered as a fine spray to control fire and cool adjacent area.
- · Avoid spraying water onto liquid pools.
- Do not approach containers suspected to be hot.
- · Cool fire exposed containers with water spray from a protected location.
- · If safe to do so, remove containers from path of fire.

## FIRE/EXPLOSION HAZARD

- · Combustible.
- · Slight fire hazard when exposed to heat or flame.
- · Heating may cause expansion or decomposition leading to violent rupture of containers.
- · On combustion, may emit toxic fumes of carbon monoxide (CO).
- · May emit acrid smoke.
- · Mists containing combustible materials may be explosive.

Other combustion products include: hydrogen chloride.

# FIRE INCOMPATIBILITY

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

## Section 6 - ACCIDENTAL RELEASE MEASURES

## **EMERGENCY PROCEDURES**

# **MINOR SPILLS**

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- · Control personal contact by using protective equipment.
- · Contain and absorb spill with sand, earth, inert material or vermiculite.
- Wipe up.
- · Place in a suitable labelled container for waste disposal.

# **GHS Safety Data Sheet**

Version No:2.0 Page 4 of 9

## Section 6 - ACCIDENTAL RELEASE MEASURES

## **MAJOR SPILLS**

Moderate hazard.

- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water course.
- No smoking, naked lights or ignition sources.
- Increase ventilation.
- Stop leak if safe to do so.
- Contain spill with sand, earth or vermiculite.
- Collect recoverable product into labelled containers for recycling.
- Absorb remaining product with sand, earth or vermiculite.
- Collect solid residues and seal in labelled drums for disposal.
- Wash area and prevent runoff into drains.
- If contamination of drains or waterways occurs, advise emergency services.

# SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS















- May be stored together
- O: May be stored together with specific preventions
- Must not be stored together

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

### Section 7 - HANDLING AND STORAGE

## PROCEDURE FOR HANDLING

- Limit all unnecessary personal contact.
- · Wear protective clothing when risk of exposure occurs.
- · Use in a well-ventilated area.
- · When handling DO NOT eat, drink or smoke.
- · Always wash hands with soap and water after handling.
- · Avoid physical damage to containers.
- · Use good occupational work practice.
- · Observe manufacturer's storing and handling recommendations.

## **SUITABLE CONTAINER**

Glass container.

Plastic container.

- · Metal can or drum
- · Packaging as recommended by manufacturer.
- · Check all containers are clearly labelled and free from leaks.

## STORAGE INCOMPATIBILITY

Avoid reaction with oxidising agents, bases and strong reducing agents.

# **GHS Safety Data Sheet**

Version No:2.0 Page 5 of 9

## **Section 7 - HANDLING AND STORAGE**

#### STORAGE REQUIREMENTS

- · Store in original containers.
- · Keep containers securely sealed.
- · No smoking, naked lights or ignition sources.
- · Store in a cool, dry, well-ventilated area.
- · Store away from incompatible materials and foodstuff containers.
- · Protect containers against physical damage and check regularly for leaks.
- · Observe manufacturer's storing and handling recommendations.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

# **EXPOSURE CONTROLS**

The following materials had no OELs on our records

• 3- chlorobenzaldehyde:

CAS:587- 04- 2

### **MATERIAL DATA**

No exposure limits set by NOHSC or ACGIH.

## PERSONAL PROTECTION







## EYE

- · Safety glasses with side shields
- · Chemical goggles.
- · Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

## HANDS/FEET

Wear chemical protective gloves, eg. PVC. Wear safety footwear.

### **OTHER**

- Overalls.
- · Eyewash unit.

# **GHS Safety Data Sheet**

Version No:2.0 Page 6 of 9

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### RESPIRATOR

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Breathing Zone Level	Maximum Protection	Half- face Respirator	Full- Face Respirator
ppm (volume)	Factor		
1000	10	A- AUS P	-
1000	50	-	A- AUS P
5000	50	Airline *	-
5000	100	-	A- 2 P
10000	100	-	A- 3 P
	100+		Airline**

<sup>\* -</sup> Continuous Flow \*\* - Continuous-flow or positive pressure demand.

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required.

For further information consult your

Occupational Health and Safety Advisor.

# **ENGINEERING CONTROLS**

General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Type of Contaminant: solvent, vapours, degreasing etc., evaporating from tank (in still air).	Air Speed: 0.25- 0.5 m/s (50- 100 f/min)
aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)	0.5- 1 m/s (100- 200 f/min.)
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1- 2.5 m/s (200- 500 f/min.)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).	2.5- 10 m/s (500- 2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range  1: Room air currents minimal or favourable to	Upper end of the range 1: Disturbing room air currents
capture 2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use

# **GHS Safety Data Sheet**

Version No:2.0 Page 7 of 9

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

4: Large hood or large air mass in motion

4: Small hood- local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### **APPEARANCE**

Light yellow liquid; does not mix well with water.

## **PHYSICAL PROPERTIES**

Liquid.

Does not mix with water.

Sinks in water.

Molecular Weight: 140.57 Melting Range (°C): 17- 18

Solubility in water (g/L): Partly miscible

pH (1% solution): Not available Volatile Component (%vol): 100 Relative Vapour Density (air=1): >1 Lower Explosive Limit (%): Not available

Autoignition Temp (°C): Not available

State: Liquid

Boiling Range (°C): 213- 214 Specific Gravity (water=1): 1.241 pH (as supplied): Not applicable Vapour Pressure (kPa): Not available Evaporation Rate: Not available

Flash Point (°C): 88.33

Upper Explosive Limit (%): Not available Decomposition Temp (°C): Not available

## Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

# CONDITIONS CONTRIBUTING TO INSTABILITY

- · Presence of incompatible materials.
- · Product is considered stable.
- · Hazardous polymerisation will not occur.

## **Section 11 - TOXICOLOGICAL INFORMATION**

#### POTENTIAL HEALTH EFFECTS

## **ACUTE HEALTH EFFECTS**

# **SWALLOWED**

Although ingestion is not thought to produce harmful effects (as classified under EC Directives), the material may still be damaging to the health of the individual,

## **GHS Safety Data Sheet**

Version No:2.0

Page 8 of 9

# Section 11 - TOXICOLOGICAL INFORMATION

following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.

#### EYE

Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).

#### SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

Open cuts, abraded or irritated skin should not be exposed to this material.

### **INHALED**

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

### **CHRONIC HEALTH EFFECTS**

Principal routes of exposure are usually by inhalation of dust and skin/eye contact.

No human exposure data available. For this reason health effects described are based on experience with chemically related materials.

As with any chemical product, contact with unprotected bare skin; inhalation of vapour, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

## **TOXICITY AND IRRITATION**

None available.

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances

#### Section 12 - ECOLOGICAL INFORMATION

No data for 3-chlorobenzaldehyde.

## **Section 13 - DISPOSAL CONSIDERATIONS**

- · Consult manufacturer for recycling options and recycle where possible.
- · Consult State Land Waste Management Authority for disposal.
- · Incinerate residue at an approved site.
- · Recycle containers if possible, or dispose of in an authorised landfill.

GHS Safety Data Sheet Version No:2.0

Page 9 of 9

## **Section 14 - TRANSPORTATION INFORMATION**

HAZCHEM: None

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:UN, IATA, IMDG

## **Section 15 - REGULATORY INFORMATION**

# **REGULATIONS**

No regulations applicable No data available for 3-chlorobenzaldehyde as CAS: 587-04-2.

## **Section 16 - OTHER INFORMATION**

# Denmark Advisory list for selfclassification of dangerous substances

Substance CAS Suggested codes 3- chlorobenzaldehyde 587- 04- 2 Xn; R22 R43

The above information is believed to be accurate and represent the best information currently available to us, but does not represent any warranty expressed or implied of the properties of the product. User should make their own investigation to determine the suitability of the information for their particular purpose.

Issue Date: 12-May-2018