

GHS Safety Data Sheet Version No:5.1.1.1

Page 1 of 7

#### Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### PRODUCT NAME

ADENOSINE-5'-MONOPHOSPHORIC ACID SODIUM SALT

#### OTHER NAMES

#### **PRODUCT USE**

Adenosine phosphate has vasodilatory properties and has been used in the treatment of complications of varicose ulcers. Has also been given for pruritus, porphyria, multiple sclerosis, hepatic disorders and rheumatism.

## **SUPPLIER**

Company: S D FINE- CHEM LIMITED Address: 315- 317, T.V.Ind.Estate, 248, Worli Road, Mumbai- 400030, India www.sdfine.com Telephone: 91- 22 24959898/99

Fax: 91- 22 2493 7232 Email: technical@sdfine.com

## **Section 2 - HAZARDS IDENTIFICATION**

## **EMERGENCY OVERVIEW**

Not hazardous

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME CAS RN % adenosine- 5' - monophosphoric acid sodium salt 4578-31-8 >95

## **Section 4 - FIRST AID MEASURES**

## **SWALLOWED**

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.

#### FYF

- If this product comes in contact with the eyes:
- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

**GHS Safety Data Sheet** 

Version No:5.1.1.1 Page 2 of 7

**Section 4 - FIRST AID MEASURES** 

#### SKIN

- If skin or hair contact occurs:
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

#### INHALED

- If dust is inhaled, remove from contaminated area.
- Encourage patient to blow nose to ensure clear passage of breathing.
- If irritation or discomfort persists seek medical attention.

## **NOTES TO PHYSICIAN**

■ Treat symptomatically.

## **Section 5 - FIRE FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

- · Water spray or fog.
- Foam.
- · Dry chemical powder.
- BCF (where regulations permit).

#### **FIRE FIGHTING**

- Alert Fire Brigade and tell them location and nature of hazard.
- · Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use water delivered as a fine spray to control fire and cool adjacent area.

#### FIRE/EXPLOSION HAZARD

- Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions.
- Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air
  or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary
  explosions).
- Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture
  with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine
  grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if
  ignited particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger
  particles up to 1400 microns diameter will contribute to the propagation of an explosion.
- In the same way as gases and vapours, dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL) are applicable to dust clouds but only the LEL is of practical use; this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC).

Combustion products include: carbon monoxide (CO), carbon dioxide (CO2), nitrogen oxides (NOx), phosphorus oxides (POx), other pyrolysis products typical of burning organic material.

May emit poisonous fumes.

## FIRE INCOMPATIBILITY

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may
result.

## Section 6 - ACCIDENTAL RELEASE MEASURES

#### MINOR SPILLS

- Clean up waste regularly and abnormal spills immediately.
- Avoid breathing dust and contact with skin and eyes.
- Wear protective clothing, gloves, safety glasses and dust respirator.
- Use dry clean up procedures and avoid generating dust.

# **MAJOR SPILLS**

- Moderate hazard.
- CAUTION: Advise personnel in area.
- Alert Emergency Services and tell them location and nature of hazard.
- · Control personal contact by wearing protective clothing.
- Prevent, by any means available, spillage from entering drains or water courses.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

**GHS Safety Data Sheet** 

Version No:5.1.1.1

Page 3 of 7

### Section 7 - HANDLING AND STORAGE

### PROCEDURE FOR HANDLING

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- · Prevent concentration in hollows and sumps.
- Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions)
- · Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame.
- · Establish good housekeeping practices.
- Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.

#### SUITABLE CONTAINER

- · Glass container is suitable for laboratory quantities.
- Polyethylene or polypropylene container.
- · Check all containers are clearly labelled and free from leaks.

#### STORAGE INCOMPATIBILITY

· Avoid reaction with oxidising agents.

## STORAGE REQUIREMENTS

- · Store in original containers.
- · Keep containers securely sealed.
- Store in a cool, dry area protected from environmental extremes.
- Store away from incompatible materials and foodstuff containers.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### **EXPOSURE CONTROLS**

The following materials had no OELs on our records

• adenosine- 5' - monophosphate disodium salt:

CAS:4578-31-8

## **MATERIAL DATA**

ADENOSINE-5'-MONOPHOSPHATE DISODIUM SALT:

■ It is the goal of the ACGIH (and other Agencies) to recommend TLVs (or their equivalent) for all substances for which there is evidence of health effects at airborne concentrations encountered in the workplace.

At this time no TLV has been established, even though this material may produce adverse health effects (as evidenced in animal experiments or clinical experience).

NOTE: The ACGIH occupational exposure standard for Particles Not Otherwise Specified (P.N.O.S) does NOT apply. Airborne particulate or vapour must be kept to levels as low as is practicably achievable given access to modern engineering controls and monitoring hardware. Biologically active compounds may produce idiosyncratic effects which are entirely unpredictable on the basis of literature searches and prior clinical experience (both recent and past).

## PERSONAL PROTECTION



### **RESPIRATOR**

•Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

#### EYE

■ When handling very small quantities of the material eye protection may not be required.

For laboratory, larger scale or bulk handling or where regular exposure in an occupational setting occurs:

- Chemical goggles
- Face shield. Full face shield may be required for supplementary but never for primary protection of eyes
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of

GHS Safety Data Sheet

Version No:5.1.1.1

Page 4 of 7

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent].

#### HANDS/FEET

■ The selection of the suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:.

- Rubber gloves (nitrile or low-protein, powder-free latex, latex/ nitrile). Employees allergic to latex gloves should use nitrile gloves in preference.
- Double gloving should be considered.
- PVC gloves.
- Change gloves frequently and when contaminated, punctured or torn.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- polychloroprene
- nitrile rubber
- butyl rubber
- · fluorocaoutchouc.

#### **OTHER**

- For quantities up to 500 grams a laboratory coat may be suitable.
- For quantities up to 1 kilogram a disposable laboratory coat or coverall of low permeability is recommended. Coveralls should be buttoned at collar and cuffs.
- For quantities over 1 kilogram and manufacturing operations, wear disposable coverall of low permeability and disposable shoe
  covers.
- For manufacturing operations, air-supplied full body suits may be required for the provision of advanced respiratory protection.

#### **ENGINEERING CONTROLS**

■ Enclosed local exhaust ventilation is required at points of dust, fume or vapour generation.

HEPA terminated local exhaust ventilation should be considered at point of generation of dust, fumes or vapours.

Barrier protection or laminar flow cabinets should be considered for laboratory scale handling.

A fume hood or vented balance enclosure is recommended for weighing/ transferring quantities exceeding 500 mg

When handling quantities up to 500 gram in either a standard laboratory with general dilution ventilation (e.g. 6-12 air changes per hour) is preferred.

## **Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Negligible

## **APPEARANCE**

White crystalline powder; mixes with water.

## **PHYSICAL PROPERTIES**

Volatile Component (%vol)

Solid.

Mixes with water.

State	Dividedsolid		MolecularWeight	391.19
Melting Range (°C)		>300	Viscosity	Not Applicable
Boiling Range (°C)		Not applicable.	Solubility in water (g/L)	Miscible
Flash Point (°C)		Not available	pH (1% solution)	Not available
Decomposition Temp (°C)		Not available	pH (as supplied)	Not applicable
Autoignition Temp (°C)		Not available.	Vapour Pressure (kPa)	Negligible
Upper Explosive Limit (%)		Not available.	Specific Gravity (water=1)	Not available
Lower Explosive Limit (%)		Not available	Relative Vapour Density	Not applicable
			(air=1)	

**Evaporation Rate** 

Not applicable

GHS Safety Data Sheet Version No:5.1.1.1

Page 5 of 7

## Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

### **CONDITIONS CONTRIBUTING TO INSTABILITY**

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

For incompatible materials - refer to Section 7 - Handling and Storage.

## Section 11 - TOXICOLOGICAL INFORMATION

#### Health hazard summary table:

Acute toxicity Not applicable Skin corrosion/irritation Not applicable Serious eye damage/irritation Not applicable Respiratory or skin sensitization Not applicable Germ cell mutagenicity Not applicable Carcinogenicity Not applicable Reproductive toxicity Not applicable STOT- single exposure Not applicable STOT- repeated exposure Not applicable Aspiration hazard Not applicable

## **POTENTIAL HEALTH EFFECTS**

#### **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

- Accidental ingestion of the material may be damaging to the health of the individual.
- Adenosine has a depressive action on the brain, heart, kidneys and other organs, and is believed to mediate its effects via four receptors.

It is also involved in the sensation of pain, movement, and sleep.

■ Vasodilators given orally or by injection may produce dose dependent and transient flushing of the face, and skin, together with a sensation of heat, a pounding in the head, swelling in the ankles, headache, low blood pressure, palpitations, dizziness and fatique.

High doses may cause skin damage, abdominal cramps, diarrhoea, nausea, vomiting, loss of appetite, general unwellness, jaundice, cause ulcers and impair liver function.

#### EYE

■ Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.

## SKIN

■ The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).

Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

- Open cuts, abraded or irritated skin should not be exposed to this material.
- Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

## **INHALED**

■ The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models).

Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

■ Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result□□in excessive exposures.

■ Not normally a hazard due to non-volatile nature of product.

## **CHRONIC HEALTH EFFECTS**

■ Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less

**GHS Safety Data Sheet** 

Version No:5.1.1.1 Page 6 of 7

Section 11 - TOXICOLOGICAL INFORMATION

than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray. Adverse effects associated with adenosine phosphate include flushing, dizziness, dyspnoea and palpitations after injection, particularly with large doses in aqueous solutions. Anaphylactic shock has also been recorded.

#### TOXICITY AND IRRITATION

No data for this material.

## **Section 12 - ECOLOGICAL INFORMATION**

No data

**Ecotoxicity** 

Ingredient Persistence: Persistence: Air Bioaccumulation Mobility Water/Soil adenosine- 5' - monophosphate No Data No Data No Data No Data disodium salt Available Available Available Available

## **Section 13 - DISPOSAL CONSIDERATIONS**

- Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.
- A Hierarchy of Controls seems to be common the user should investigate:
- · Reduction.
- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.

For small quantities:

- Neutralise an aqueous solution of the material.
- Filter solids for disposal to approved land fill.
- Flush solution to sewer (subject to local regulation)
- Heat and fumes evolved during reaction may be controlled by rate of addition.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material)
- · Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

#### Section 14 - TRANSPORTATION INFORMATION

## **HAZCHEM:**

None

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: UN, IATA, IMDG

## **Section 15 - REGULATORY INFORMATION**

## **Section 16 - OTHER INFORMATION**

**GHS Safety Data Sheet** 

Version No:5.1.1.1
Page 7 of 7

**Section 16 - OTHER INFORMATION** 

■ The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

The above information is believed to be accurate and represent the best information currently available to us, but does not represent any warranty expressed or implied of the properties of the product. User should make their own investigation to determine the suitability of the information for their particular purpose.

Issue Date: 26-Dec-2017