

GHS Safety Data Sheet

Version No:4.1.1.1

Page 1 of 8

### Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### **PRODUCT NAME**

2-AMINO-5-METHYLTHIAZOLE

#### **OTHER NAMES**

C4-H6-N2-S, 5-methyl-2-thiazolamine, 5-methyl-2-thiazolylamine, "5-methyl-1, 3-thiazol-2-amine"

#### PROPER SHIPPING NAME

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(contains 2-amino-5-methylthiazole)

#### **PRODUCT USE**

■ Intermediate.

### **SUPPLIER**

Company: S D FINE- CHEM LIMITED Address: 315- 317, T.V.Ind.Estate, 248, Worli Road, Mumbai- 400030, India www.sdfine.com

Telephone: 91-22 24959898/99

Fax: 91- 22 2493 7232 Email: technical@sdfine.com

## **Section 2 - HAZARDS IDENTIFICATION**

### **GHS Classification**

Acute Toxicity Category 4 Chronic Aquatic Hazard Category 1 STOT - RE Category 2







### **EMERGENCY OVERVIEW**

### **HAZARD**

WARNING

### Determined by using GHS criteria

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

## **PRECAUTIONARY STATEMENTS**

Prevention

Code Phras

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash ... thoroughly after handling.

**GHS Safety Data Sheet** 

Version No:4.1.1.1 Page 2 of 8 Section 2 - HAZARDS IDENTIFICATION

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Response

Code Phrase

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Get medical advice/attention if you feel unwell.

P330 Rinse mouth. P391 Collect spillage.

Disposal

P314

Code Phrase

P501 Dispose of contents/container to ...

# Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME CAS RN %
2- amino- 5- methylthiazole 7305-71-7 >98

#### Section 4 - FIRST AID MEASURES

# **SWALLOWED**

- IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY.
- For advice, contact a Poisons Information Centre or a doctor.
- · Urgent hospital treatment is likely to be needed.
- In the mean time, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition.

#### EYE

- If this product comes in contact with the eyes:
- · Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### SKIN

- If skin or hair contact occurs:
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

#### **INHALED**

- If dust is inhaled, remove from contaminated area.
- Encourage patient to blow nose to ensure clear passage of breathing.
- If irritation or discomfort persists seek medical attention.

### **NOTES TO PHYSICIAN**

■ for poisons (where specific treatment regime is absent):

# BASIC TREATMENT

- Establish a patent airway with suction where necessary.
- Watch for signs of respiratory insufficiency and assist ventilation as necessary.
- Administer oxygen by non-rebreather mask at 10 to 15 L/min.
- Monitor and treat, where necessary, for pulmonary oedema.

Treat symptomatically.

### **Section 5 - FIRE FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

- · Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).

#### FIRE FIGHTING

- · Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use water delivered as a fine spray to control fire and cool adjacent area.

#### FIRE/EXPLOSION HAZARD

- Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions.
- Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air
  or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary
  explosions).
- Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture
  with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine
  grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if
  ignited particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger
  particles up to 1400 microns diameter will contribute to the propagation of an explosion.
- In the same way as gases and vapours, dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL) are applicable to dust clouds but only the LEL is of practical use; this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC).

Combustion products include: carbon monoxide (CO), carbon dioxide (CO2), nitrogen oxides (NOx), sulfur oxides (SOx), other pyrolysis products typical of burning organic material.

#### FIRE INCOMPATIBILITY

 Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

#### Section 6 - ACCIDENTAL RELEASE MEASURES

# **MINOR SPILLS**

- Remove all ignition sources.
- · Clean up all spills immediately.
- · Avoid contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.

Environmental hazard - contain spillage.

### **MAJOR SPILLS**

■ Environmental hazard - contain spillage.

Moderate hazard.

- CAUTION: Advise personnel in area.
- Alert Emergency Services and tell them location and nature of hazard.
- · Control personal contact by wearing protective clothing.
- Prevent, by any means available, spillage from entering drains or water courses.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

### **Section 7 - HANDLING AND STORAGE**

# PROCEDURE FOR HANDLING

- · Avoid all personal contact, including inhalation.
- · Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- · Prevent concentration in hollows and sumps.
- Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air
  or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary
  explosions)
- Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame.
- · Establish good housekeeping practices.
- Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.

### **SUITABLE CONTAINER**

- Polyethylene or polypropylene container.
- Check all containers are clearly labelled and free from leaks.

#### STORAGE INCOMPATIBILITY

· Avoid reaction with oxidising agents.

### STORAGE REQUIREMENTS

- · Store in original containers.
- · Keep containers securely sealed.
- Store in a cool, dry area protected from environmental extremes.
- Store away from incompatible materials and foodstuff containers.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE CONTROLS**

The following materials had no OELs on our records

• 2- amino- 5- methylthiazole:

CAS:7305-71-7

#### **MATERIAL DATA**

2-AMINO-5-METHYLTHIAZOLE:

■ It is the goal of the ACGIH (and other Agencies) to recommend TLVs (or their equivalent) for all substances for which there is evidence of health effects at airborne concentrations encountered in the workplace.

At this time no TLV has been established, even though this material may produce adverse health effects (as evidenced in animal experiments or clinical experience).

NOTE: The ACGIH occupational exposure standard for Particles Not Otherwise Specified (P.N.O.S) does NOT apply.

# PERSONAL PROTECTION









### **RESPIRATOR**

•Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

#### EYE

- Safety glasses with side shields
- · Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at

**GHS Safety Data Sheet** 

Version No:4.1.1.1
Page 5 of 8

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent].

#### HANDS/FEET

■ The selection of the suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- polychloroprene
- nitrile rubber
- · butyl rubber
- · fluorocaoutchouc.

#### **OTHER**

- · Overalls.
- P.V.C. apron.
- · Barrier cream.
- · Skin cleansing cream.

#### **ENGINEERING CONTROLS**

■ Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

### **APPEARANCE**

Beige powder.

### **PHYSICAL PROPERTIES**

Solid.

State	Divided solid	Molecular Weight	114.17
Melting Range (°C)	94- 96	Viscosity	Not Applicable
Boiling Range (°C)	Not available	Solubility in water (g/L)	Miscible
Flash Point (°C)	Not available	pH (1% solution)	Not available
Decomposition Temp (°C)	Not available	pH (as supplied)	Not applicable
Autoignition Temp (°C)	Not available	Vapour Pressure (kPa)	Negligible
Upper Explosive Limit (%)	Not available.	Specific Gravity (water=1)	Not available
Lower Explosive Limit (%)	Not available	Relative Vapour Density	Not Applicable
		(air=1)	

**Evaporation Rate** 

# Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

Negligible

# CONDITIONS CONTRIBUTING TO INSTABILITY

- · Presence of incompatible materials.
- Product is considered stable.

Volatile Component (%vol)

· Hazardous polymerisation will not occur.

For incompatible materials - refer to Section 7 - Handling and Storage.

Not applicable

### Section 11 - TOXICOLOGICAL INFORMATION

# Health hazard summary table:

Acute toxicity
Skin corrosion/irritation
Serious eye damage/irritation
Respiratory or skin sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT- single exposure
STOT- repeated exposure
Aspiration hazard

Acute Tox. (oral) 4
Not applicable
STOT RE 2
Not applicable

#### **POTENTIAL HEALTH EFFECTS**

### **ACUTE HEALTH EFFECTS**

### SWALLOWED

■ Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.

#### EYE

■ Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.

### SKIN

- Skin contact is not thought to produce harmful health effects (as classified under EC Directives using animal models). Systemic harm, however, has been identified following exposure of animals by at least one other route and the material may still produce health damage following entry through wounds. lesions or abrasions.
- Open cuts, abraded or irritated skin should not be exposed to this material.
- Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

### **INHALED**

■ The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models).

Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting

■ Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result□□in excessive exposures.

### **CHRONIC HEALTH EFFECTS**

■ Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Harmful: danger of serious damage to health by prolonged exposure if swallowed.

This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects. This has been demonstrated via both short- and long-term experimentation. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray.

### **TOXICITY AND IRRITATION**

■ No significant acute toxicological data identified in literature search.

GHS Safety Data Sheet Version No:4.1.1.1

### Section 12 - ECOLOGICAL INFORMATION

Very toxic to aquatic organisms.

**Ecotoxicity** 

Ingredient Persistence: Persistence: Air Bioaccumulation Mobility

2- amino- 5- methylthiazole HIGH No Data LOW MED

Water/Soil

Available

#### Section 13 - DISPOSAL CONSIDERATIONS

Containers may still present a chemical hazard/ danger when empty.

• Return to supplier for reuse/ recycling if possible.

Otherwise:

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- · Where possible retain label warnings and MSDS and observe all notices pertaining to the product.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction.
- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- · Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material)
- · Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

#### Section 14 - TRANSPORTATION INFORMATION





Labels Required: MISCELLANEOUS

**HAZCHEM:** 

27

Land Transport UNDG:

Class or division: 9 Subsidiary risk: None UN No.: 9 UN packing group: III

Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains 2-amino-5-methylthiazole)

Air Transport IATA:

ICAO/IATA Class: 9 ICAO/IATA Subrisk: None UN/ID Number: 3077 Packing Group: III Special provisions: A97

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains 2-amino-5-methylthiazole)

**GHS Safety Data Sheet** 

Version No:4.1.1.1
Page 8 of 8
Section 14 - TRANSPORTATION INFORMATION

**Maritime Transport IMDG:** 

IMDG Class: 9 IMDG Subrisk: None UN Number: 3077 Packing Group: Ш EMS Number: F- A, S- F Special provisions: 274 335 5 kg Limited Quantities: Marine Pollutant: Yes

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains 2-amino-5-methylthiazole)

### **Section 15 - REGULATORY INFORMATION**

#### **REGULATIONS**

2-amino-5-methylthiazole (CAS: 7305-71-7) is found on the following regulatory lists; "Acros Transport Information"

#### **Section 16 - OTHER INFORMATION**

- Classification of the preparation and its individual components has drawn on official and authoritative sources using available literature references.
- The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

The above information is believed to be accurate and represent the best information currently available to us, but does not represent any warranty expressed or implied of the properties of the product. User should make their own investigation to determine the suitability of the information for their particular purpose.

Issue Date: 21-Mar-2018