




Product Specification

E Control	QC2\DATAD\D:\PS\20115XPS.xls
PRODUCT CODE	20115
PRODUCT NAME	FORMIC ACID 98 - 100% AR (stabilised with water)
SYNONYMS	N/A
C.I. NO.	N/A
CASR NO.	64-18-6
ATOMIC OR MOLECULAR FORMULA	CH ₂ O ₂
ATOMIC OR MOLECULAR WEIGHT	46.03
PROPERTIES	Strong reducing agent, Combustible



PARAMETER	LIMIT
Description	A clear liquid not more than 10 Hazen units in colour, a pungent odour.
Solubility	Miscible with water forming clear & colourless solution.
Minimum assay (By acidimetric)	98.0%
Wt.per ml at 20°C	1.216 - 1.220 g
Freezing Point	Not below 5.5°C
MAXIMUM LIMIT OF IMPURITIES	
Water insoluble matter	Passes test.
Non volatile matter	0.002%
Acetate (CH ₃ COO)	Passes test.
Chloride (Cl)	0.0005%
Nitrogen compounds (N)	0.002%
Sulphate (SO ₄)	0.001%
Sulphite (SO ₃)	0.001%
Copper (Cu)	0.0005%
Iron (Fe)	0.0003%
Lead (Pb)	0.0005%

Note(s) : Assay (if applicable) method mentioned.

DANGER HAZARD STATEMENTS : Flammable liquid and vapour. Combustible Liquid. Toxic if inhaled. Harmful if swallowed. May be corrosive to metals. Causes severe skin burns and eye damage. PRECAUTIONARY STATEMENTS : Prevention : Keep away from flames and hot surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust or mist. Use explosion-proof electrical/ventilating/lighting/equipment. Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Use only outdoors or in a well ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Response : Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Keep container tightly closed. Immediately call a POISON CENTER or doctor/physician. If on skin or hair: remove/take off immediately all contaminated clothing. Rinse with water/shower. In case of fire, use alcohol-type foam for extinction. Disposal : Add in small quantities to large, stirred excess of water, keeping the final concentration less than 2%. Neutralize with 5% sodium hydroxide soln. and run to waste with large quantities of running water.	IMDG Code : 8/II UN No. : 1779 IATA : 8
---	--

Hazard pictogram(s) :



Flammable liquids Acute toxicity Corrosive to metals



Flammable liquids Acute toxicity Corrosive to metals

Prepared By : DINESH	Checked By: RAJU VYAS	Approved By: S.S.TOLIA	Issue Date : 01/07/2002
Name/Dept. : Officer (Q.A.)	Name/Dept. :Incharge(Q.A.)	Name/Dept. : Incharge (Tech.)	Revision No. : 03
Sign. :	Sign. :	Sign. :	Revision dt. : 20/08/2010
Date : 18/08/2010	Date : 18/08/2010	Date : 20/08/2010	AMEND NO. : P062