




Product Specification

E Control	QC2\DATAD\ID:IPS\37699XPS.xls
PRODUCT CODE	37699
PRODUCT NAME	2-CHLOROBENZYL AMINE LR (for synthesis)
SYNONYMS	--
C.I. NO.	--
CASR NO.	(89-97-4)
ATOMIC OR MOLECULAR FORMULA	C ₇ H ₈ ClN
ATOMIC OR MOLECULAR WEIGHT	141.6
PROPERTIES	Sensitive to Air



PARAMETER	LIMIT
Description	Colourless to pale yellow liquid.
Identification (FTIR)	Conforms
Minimum Assay (GC)	95.0%
Wt. per ml at 20°C	1.168 - 1.172 g
MAXIMUM LIMIT OF IMPURITIES	
--	--

Note(s) : Assay (if applicable) method mentioned.

HAZARD

DANGER

Combustible Liquid May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage.

May cause an allergic skin reaction. Causes serious eye damage.

PRECAUTIONARY STATEMENTS

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking.Keep only in original container

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash ... thoroughly after handling. Do not eat, drink or smoke when using this product.Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection.

.Response: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention.Wash contaminated clothing before reuse.Absorb spillage to prevent material damage.

IMDG Code : 8/III

UN No. : 2735

IATA : 8

Disposal: Dissolve the chemical in dilute acid and neutralize the excess acid with sodium carbonate and run to the normal waste with large amount of water .Any sand used to cover spillage should be thoroughly washed with water before disposal as normal waste. Alternatively the neutralized solution can be put in a container and disposed off. Combustible organic compounds are mixed with sodium carbonate and / or calcium hydroxide powder before burning them in incinerator.

Hazard Pictogram(s) :





Skin irritation



Corrosive to metals

Prepared By :	Checked By:	Approved By:	Issue Date : 01.07.2002
Name/Dept. : Officer (Q.A.)	Name/Dept.:Incharge(Q.A.)	Name/Dept. : Incharge (Tech.)	Revision No.: 02
Sign. :	Sign. :	Sign. :	Revision dt. :25.03.2015.
Date : 14.03.2015.	Date : 14.03.2015.	Date : 25.03.2015.	AMEND NO. : 1672.

